QA Testing page 1

PharmLabs San Diego Certificate of Analysis





Matrix Edible Tested for 7ALKS Received Sep 12, 2024 Unit Mass (g) 6.416 Reported Sep 12, 2024 Num. of Servings 10 Serving Size (g) 0.64

KTM - Kratom Analysis

Analyzed Sep 12, 2024 | Instrument HPLC VWD | Method SOP-KTM
The expanded Uncertainty of the analysis is approximately ±7.81% at the 95% Confidence Level

Analyte	LOD	LOQ	Result %	Result mg/g	Result mg/Serving	Result mg/Unit
7-hydroxy Mitragynine (7HMG)	0.008	0.025	3.13	31.29	20.03	200.76
Mitragynine (MITG)	0.018	0.054	0.06	0.59	0.38	3.79
Speciogynine (SPEG)	0.007	0.02	ND	ND	ND	ND
Speciociliatine (SPCL)	0.004	0.011	ND	ND	ND	ND





DEA license: RP0611043 ISO/IEC 17025:2017 Acc. L17-427-1





Certificate of Analysis

Kratom Extract Tablets Strain: Kratom Extract Tablets Category: Ingestible Type: Capsule 7ALKS Lic. # NA San Diego, CA 92121

Lic. #

Batch#: XT0009 Batch Size Collected: Total Batch Size: Collected: 09/12/2024; Received: 09/12/2024 Completed: 09/12/2024

Residual Solvent Analysis

Category 1	LOQ LOD L	imit	Status	Category 2	V	LOQ	LOD	Limit	Status	Category 2		LOQ	LOD	Limit	Status
	HB/B HB/B HB/B	µg/g			µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
1,2-Dichloro-Ethane	ND 0.264 0.088	1	Pass	Acetone	ND	51.246	0.716	5000	Pass	n-Hexane	ND	0.281	0.027	290	Pass
Benzene	ND 0.052 0.017	1	Pass	Acetonitrile	ND	0.42	0.14	410	Pass	Isopropanol	ND	2.86	0.614	5000	Pass
Chloroform	ND 0.076 0.025	1	Pass	Butane	ND	4.849	0.748	5000	Pass	Methanol	461.3	2.602	0.867	3000	Pass
Ethylene Oxide	ND 0.579 0.179	1	Pass	Ethanol	ND	7.575	2.525	5000	Pass	Pentane	ND	5.075	1.692	5000	Pass
Methylene-Chloride	ND 0.729 0.08	1	Pass	Ethyl-Acetate	664.0	2.288	0.175	5000	Pass	Propane	ND	9.709	3.236	5000	Pass
Trichloroethene	ND 0.145 0.028	1	Pass	Ethyl-Ether	ND	2.869	0.389	5000	Pass	Toluene	ND	0.864	0.067	890	Pass
				Heptane	ND	2.859	0.496	5000	Pass	Xylenes	ND	2.572	0.326	2170	Pass

ND=Not Detected. Analytical instrumentation used:qPCR; samples analyzed according to SOP MICRO-INST-001.



Infinite Chemical Analysis Labs 8312 Miramar Mall San Diego, CA (858) 623-2740 www.infiniteCAL.com Lic# C8-0000047-LIC

Josh M Swider

Josh Swider Lab Director, Managing Partner 09/12/2024 Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com



This product has been tested by Infinite Chemical Analysis, LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 15730, pursuant to 16 CCR section 15726(e)(13). Values reported relate only to the product tested. Infinite Chemical Analysis, LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Infinite Chemical Analysis, LLC.